

Clean Water for the Planet®

Our environmentally
friendly products
for pool and
spa care are:

Effective
Easy
Affordable

The PristineBlue line

A complete pool and spa care system.



Highly Effective
Algaecide/Bactericide*
EPA Registered
For Residential Pools
in all 50 States

*nonpublic health





World-class Customer Service



CPT and CPO® Certified Professionals



Easy to handle bottles simplify storage and application.

Our environmentally
friendly products
for pool and
spa care are:

Effective
Easy
Affordable



Highly Effective
Algaecide/Bactericide*
EPA Registered
For Residential Pools
in all 50 States

*nonpublic health



NSF ANSI 60 Certified
Easy to Use
Apply Every Two Weeks
Beautiful, Crystal
Clear Water





**PristineBlue[®] is
compatible with:**

Bromine

Chlorine

& Salt Water Systems



**PristineBlue[®] is
compatible with:**

Plaster, gunite, vinyl
tile and composite pools

A Different Kind of Copper

Holds the Copper Tightly
Eliminates Staining Issues
High Performance
Disperses Rapidly
Complete Coverage

PristineBlue Is Compatible With:

Salt

Chlorine

Bromine

Ozonators

Ultraviolet

Standard Filters

& Surfaces

PristineBlue is **NOT Compatible With:**

Ionizers

Mineral Inserts

Biguanide Systems

Metal Removers

Anti-microbial Filters

Flocculants

**Use of Cal-Hypo Shock
is NOT recommended**

PristineBlue[®]

algaecide/bactericide*

*non-public health bacteria



Added at Start-Up
& Every Two Weeks

PristineBlue®

Algaecide/Bactericide* for Residential Swimming Pools, Spas and Hot Tubs

ACTIVE INGREDIENT

Copper Sulfate Pentahydrate* (CAS No. 7758-99-8) 19.8%

OTHER INGREDIENTS 80.2%

TOTAL 100.0%

*Metallic Copper 5%

This product contains 2.91 LB. per gallon (1.144 kg/L) and contains 0.445 lbs. (0.202 kg) Copper per gallon.

KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY:

Earth Science Laboratories, Inc.


113 SE 22nd Street, Suite 1

Bentonville, AR 72712

Phone: 800-257-9283

EPA REGISTRATION NO. 64962-1

EPA ESTABLISHMENT NO. 64962-NE-001




SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE OR BACK PANEL



PristineCheck[®]

Water Prep

Water prep added before starting on the PristineBlue system. It sequesters calcium and other hard minerals.



PristineClean[®]

Scale and Metal Inhibitor

Water Clarifier for Pools, Spas and Hot Tubs

PristineClear®



For more information, visit us online at www.pristineclear.com.
Eyes: Immediately flush with water for at least 15 minutes. Seek medical attention.
For more than the cost of this product to

27192 01002

PristineClear®

Water Clarifier

*Not recommended for two week maintenance
in spas and hot tubs.*

Use as needed for cloudy water.

Shock for Pools, Spas and Hot Tubs

PristineExtra




For use in swimming pools, spas and hot tubs only. Do not use in other applications.

EPA Reg. No. 92470-20-04902
EPA Est. No. 02710-GA-03

Rev No. 1213

8



PristineExtra[®]

Shock

99% Sodium Di-Chlor

Sanitize as needed. Follow label instructions.


PristinePower®

Potassium Monopersulfate
Shock Oxidizer

This product does not contain chlorine.



**PristinePower Can Be
Added More Often If Needed**



The Mini Test Kit

Used to test the PristineBlue level in your pool at 2 week maintenance.

You should always test your PristineBlue level before adding more, then follow the dosage guidelines on the label. Convenient pool size dosages are located on the web site, in the Pool and Spa Care Guide and on the dosage calculator.



Before Beginning on the system you should test you water and source water

Test for the Following:

Specifically test for copper and other metals.

You Can Also Test For:

pH

Phosphates

Total Alkalinity

Total and Free Chlorine

Calcium Hardness

The PristineBlue System Performs Best When:

Alkalinity is 50-90 ppm

pH is 7.2-7.6

Calcium Hardness is 100-400 ppm

Achieving optimal water balance
may take a day or two.

Always Adjust Alkalinity First

The correct range is
50-90 parts per million.

Adjust pH

The correct range
is between 7.2 and 7.6.

Calcium Hardness

The calcium hardness should be 100-400 parts per million.

Getting started on the system is simple.
See the Pool and Spa Care Guide or web site for complete instructions.

Step 1

PristineCheck

Use two ounces per 1,000
gallons of pool water.

Step 2

PristineExtra

Add one pound of PristineExtra
per 10,000 gallons of water
then run the filter for 12 hours.

Sanitize as needed. Follow label instructions.

Step 3

PristineBlue

Add two ounces of PristineBlue
per 1,000 gallons of pool water.

Then relax until time for 2 week Maintenance !

**Check water chemistry weekly
and sanitize as needed.**

Before Maintenance

Do not pour products
directly into skimmer.

Before Maintenance

Apply them in the deep end with your pump circulating. Pour in slowly at a return jet.

Perform 2 week Maintenance by following the steps listed in the Pool and Spa Care Guide and on the web site

Check water chemistry weekly and sanitize as needed.



Store any unused
PristineBlue at a
temperature above 32
degrees Fahrenheit.

Filtering and Proper Maintenance is Important

Avoid Overdosing

Copper overdosing is the #1 cause of staining

Tips to Avoid Overdosing

Know how many gallons of water are in your pool

Apply accurate maintenance doses

Evidence of Overdosing

Excessive blue in the filter or backwash water

Surface staining

**Brief Clouding of
Water after Applying
Product is Normal**

For Best Results:

Apply chemicals directly to the water

At alternating sides

Near a return jet

Away from the skimmer

Add chlorine in the evening to avoid dissipation

PristineBlue[®]

Performance
Price

Simple Application
Excellent Customer
Service

